

STAXX
STAXX MATERIAL HANDLING EQUIPMENT CO., LTD.



Manual

EURO TYPE LIFT TABLE



Make Your Job Easier!

Foldable Handle

PT150Z


Foldable Handle



Model		PT150Z	PT300Z	PT500Z
Load Capacity	(kg)	150	300	500
Lowest Height	(mm)	225	280	280
Max. Height	(mm)	725	900	900
Table Dimension	(mm)	740*450*35	815*500*50	815*500*50
Dia.of the wheel	(mm)	Φ100	Φ125	Φ125
Net Weight	(Kg)	42	74	77
Packing Dimensions	(mm)	870*480*230	960*520*395	960*520*395
Dia.of the Cylinder	(mm)	Φ35	Φ40	Φ40
Handle Height off the Ground	(mm)	880	1010	1010
Load in 20' Container	(PCS)	182	96	96
NOTE	Unit Pump , Single Scissor Lift Table.			


PT150Z

Foldable Handle



Standard Type

Model		PT150	PT300A	PT500A
Load Capacity	(kg)	150	300	500
Lowest Height	(mm)	225	280	280
Max. Height	(mm)	725	900	900
Table Dimension	(mm)	740*450*35	815*500*50	815*500*50
Dia.of the wheel	(mm)	Φ100	Φ125	Φ125
Net Weight	(Kg)	40	71	76
Packing Dimensions	(mm)	870*480*230	910*520*310	910*520*310
Dia.of the Cylinder	(mm)	Φ35	Φ40	Φ40
Handle Height off the Ground	(mm)	810	970	970
Load in 20' Container	(PCS)	182	144	144
NOTE	Unit Pump , Single Scissor Lift Table.			



★ Standard wheel type

PT150 Standard Type



Manual Lift Table

PT500B
Manual Lift Table



Model		PT300B	PT500B
Load Capacity	(kg)	300	500
Lowest Height	(mm)	280	280
Max. Height	(mm)	900	900
Table Dimension	(mm)	815*500*50	815*500*50
Dia.of the wheel	(mm)	Φ125	Φ125
Net Weight	(Kg)	72	77
Packing Dimensions	(mm)	910*520*310	910*520*310
Dia.of the Cylinder	(mm)	Φ40	Φ40
Handle Height off the Ground	(mm)	970	970
Load in 20'Container	(PCS)	144	144
NOTE		Unit Pump, Single Scissor Lift Table.	

PT500B
Manual Lift Table



Manual Lift Table

Model		PT800A	PT1000A
Load Capacity	(kg)	800	1000
Lowest Height	(mm)	415	415
Max. Height	(mm)	1000	1000
Table Dimension	(mm)	1016*510*60	1016*510*60
Dia.of the wheel	(mm)	Φ150	Φ150
Net Weight	(Kg)	99	99
Packing Dimensions	(mm)	1150*580*425	1150*580*425
Dia.of the Cylinder	(mm)	Φ40	Φ40
Handle Height off the Ground	(mm)	990	990
Load in 20' Container	(PCS)	80	80
NOTE	Unit Pump, Single Scissor Lift Table.		



PT1000A
Manual Lift Table

PT1000A
Manual Lift Table



Manual Lift Table



PT1000B

Manual Lift Table



Model		PT800B	PT1000B
Load Capacity	(kg)	800	1000
Lowest Height	(mm)	415	415
Max. Height	(mm)	1000	1000
Table Dimension	(mm)	1016*510*60	1016*510*60
Dia.of the wheel	(mm)	Φ150	Φ150
Net Weight	(Kg)	100	100
Packing Dimensions	(mm)	1150*580*425	1150*580*425
Dia.of the Cylinder	(mm)	Φ40	Φ40
Handle Height off the Ground	(mm)	990	990
Load in 20'Container	(PCS)	80	80
NOTE	Unit Pump, Single Scissor Lift Table.		




★ Standard wheel type

Manual Lift Table

PTS350A Manual Lift Table



Model		PTS350A	PTDS350A
Load Capacity	(kg)	350	350
Lowest Height	(mm)	360	360
Max. Height	(mm)	1300	1580
Table Dimension	(mm)	905*500*50	900*700*50
Dia.of the wheel	(mm)	Φ125	Φ125
Net Weight	(Kg)	99	100
Packing Dimensions	(mm)	1020*530*380	1020*730*380
Dia.of the Cylinder	(mm)	Φ40	Φ40
Handle Height off the Ground	(mm)	970	970
Load in 20' Container	(PCS)	90	70
NOTE		Unit Pump , Double Scissor Lift Table.	



★ Standard wheel type

Manual Lift Table

Model		PTS350B
Load Capacity	(kg)	350
Lowest Height	(mm)	360
Max. Height	(mm)	1300
Table Dimension	(mm)	905*500*50
Dia.of the wheel	(mm)	Φ125
Net Weight	(Kg)	100
Packing Dimensions	(mm)	1020*530*380
Dia.of the Cylinder	(mm)	Φ40
Handle Height off the Ground	(mm)	970
Load in 20'Container	(PCS)	90
NOTE		Unit Pump, Single Scissor Lift Table.



PTS350B
Manual Lift Table

PTS350B
Manual Lift Table



Manual Lift Table

Model		SG300	SG500	SG1001
Load Capacity	(kg)	300	500	1000
Lowest Height	(mm)	440	550	610
Max. Height	(mm)	1000	1000	1070
Table Dimension	(mm)	950*600	950*600	915*610
Dia.of the wheel	(mm)	Φ125	Φ125	Φ150
Net Weight	(Kg)	60	70	106
Packing Dimensions	(mm)	1000*620*450	1000*620*560	950*630*570
NOTE	Unit Pump, Single Scissor Lift Table.			



SG1001
Screw Lift Table

SG300
Screw Lift Table



DRUM MOVER

YTC300A

Drum mover



Model		YTC300	YTC300A
Load Capacity	(kg)	300	300
Max. Height	(mm)	200	500
Overall Length	(mm)	980	1020
Overall Width	(mm)	840	810
Overall Height	(mm)	980	1180
Net Weight	(Kg)	40	62
Dia. of Front Wheel	(mm)	180	180
Dia. of Rear Wheel	(mm)	Φ125	Φ125

YTC300

Drum mover

